

40 Cal ArcGuard Compliance Arc Flash Kit with Lift Front Hood





| Product Code | • KIT4SC40LF (With Gloves) • KIT4SC40NGLF_ (No Gloves) |
|-------------------|---|
| Sizes | Garment: SM-3X Gloves: 08-12 |
| Stock Colors | |
| Fabric / Material | 9 oz. Westex® UltraSoft® Sateen, Double Layer |

Compliance

| Arc Rating | 40 cal/cm ² |
|------------|---|
| CAT Level | CAT 4 |
| Standards | • NFPA 70E • ASTM F1506 • CSA Z462 • OSHA 1910.269 |

Features

| FR hook and loop front closure Stand up collar for extra coverage Rib knit cuffs for comfortable, secure fit Garments embroidered with arc rating Quick disconnect and adjustable shoulder straps on bib overalls Expandable leg opening to fit over boots Imported | |
|---|--|
|---|--|

Sizing Chart

ArcGuard® Kit Sizing Charts

| Arc Flash Coat (CO4) | | | |
|----------------------|-----------|---------------|--|
| Size | Chest | Sleeve Length | |
| SM | 37" - 41" | 36" | |
| MD | 40" - 44" | 37" | |
| LG | 43" - 47" | 38" | |
| XL | 46" - 50" | 39" | |
| 2X | 49" - 53" | 40" | |
| 3X | 52" - 56" | 40" | |
| 4X | 55" - 59" | 41" | |

*Other sizes available upon request

| Arc Flash Bib Overall (C45) | | | |
|-----------------------------|-----------|-----------|--|
| Size | Chest | Waist | |
| SM | 31" - 34" | 33" - 35" | |
| MD | 34" - 37" | 36" - 38" | |
| LG | 37" - 40" | 39" - 41" | |
| XL | 40" - 44" | 42" - 45" | |
| 2X | 44" - 48" | 46" - 49" | |
| 3X | 48" - 52" | 50" - 53" | |
| 4X | 52" - 56" | 54" - 57" | |

| ArcGuard® Rubber Voltage Gloves | | | | |
|---------------------------------|--------------------|--|--|--|
| Size | Hand Circumference | | | |
| 8 | 8" or less | | | |
| 9 | 8 - 9" | | | |
| 10 | 9 - 10" | | | |
| 11 | 10" - 11" | | | |
| 12 | 11" - 12" | | | |

